The Plant Journal (1998) **13**(6), 881–885

Author index

Ádám, É. *see* Kolar, C.
Aeschbacher, R.A. *see* Vogel, G.
Alcocer, M.J.C. *see* Martínez-García, J.F.
Algarra, P. *see* Pasentsis, K.
Almoguera, C., Prieto-Dapena, P. and Jordano, J. *Dual regulation of a heat shock promoter during embryogenesis: stage-dependent role of heat shock elements* 437
Alonso-Blanco, C. *see* Fransz, P.
Amrhein, N. *see* Tommasini, R.
Armstrong, S. *see* Fransz, P.

Bacic, A. *see* Sommer-Knudsen, J.
Baguley, B.C. *see* O'Brien, I.E.W.
Baker, N.R. *see* James, E.K.
Bancroft, I. *see* Bent, E.
Banzet, N., Richaud, C., Deveaux, Y., Kazmaier, M., Gagnon, J. and Triantaphylidès, C. *Accumulation of small heat shock proteins, including mitochondrial HSP22, induced by oxidative stress and adaptive response in tomato cells* 519
Baulcombe, D. *see* Marano, M.R.
Bäumlein, H. *see* Kirik, V.
Baunsgaard, L., Fuglsang, A.T., Jahn, T., Korthout, H.A.A.J., de Boer, A.H. and Palmgren, M.G. *The 14–3–3 proteins associate with the plant plasma membrane H^+-ATPase to generate a fusicoccin binding complex and a fusicoccin responsive system* 661
Becuwe, N. *see* Rey, P.
Bei, Q. and Luan, S. *Functional expression and characterization of a plant K^+ channel gene in a plant cell model* 857
Belkind, A. *see* Holland, N.
Belzile, F.J. *see* Dubois, P.
Bennett, A.B. *see* Lashbrook, C.C.
Benning, C. *see* Dörmann, P.
Bent, E., Johnson, S. and Bancroft, I. *BAC representation of two low-copy regions of the genome of* Arabidopsis thaliana 849
Berger, S. *see* Rojo, E.
Bhalla, P.L. *see* Xu, H.
Bisseling, T. *see* de Ruijter, N.C.A.
Blatt, M.R. *see* Frohnmeyer, H.
Blázquez, M.A., Santos, E., Flores, C.-L., Martínez-Zapater, J.M., Salinas, J. and Gancedo, C. *Isolation and molecular characterization of the* Arabidopsis TPS1 *gene, encoding trehalose-6-phosphate synthase* 685
Bloor, S.J. *see* Bradley, J.M.
Bloor, S.J. *see* Davies, K.M.
Boddupalli, S. *see* Broun, P.
Boller, T. *see* Vogel, G.
Bouchez, D. *see* Thion, L.
Boudet, A.-M. *see* Piquemal, J.
Bowler, C. *see* Frohnmeyer, H.
Bradley, J.M., Davies, K.M., Deroles, S.C., Bloor, S.J. and Lewis, D.H. *The maize* Lc *regulatory gene up-regulates the flavonoid biosynthetic pathway of* Petunia 381
Brady, S.R. *see* Butler, J.H.
Bramley, P.R. *see* Kuntz, M.
Broun, P., Boddupalli, S. and Somerville, C. *A bifunctional oleate 12-hydroxylase: desaturase from* Lesquerella fendleri 201
Brown, S. *see* Gendreau, E.
Butler, J.H., Hu, S., Brady, S.R., Dixon, M.W. and Muday, G.K. *In vitro and in vivo evidence for actin association of the naphthylphthalamic acid-binding protein from zucchini hypocotyls* 291

Camilleri, C. *see* Rodriguez, C.M.
Cánovas, F.M. *see* García-Gutiérrez, A.
Cantón, F.R. *see* García-Gutiérrez, A.
Capel, J., Jarillo, J.A., Madueño, F., Jorquera, M.J., Martínez-Zapater, J.M. and Salinas, J. *Low temperature regulates* Arabidopsis Lhcb *gene expression in a light-independent manner* 411
Carbonero, P. *see* Vicente-Carbajosa, J.
Cella, R. *see* Giorgetti, L.
Chen, J. *see* Wang, S.-M.
Chen, H.C. *see* Kuntz, M.
Choquet, Y. *see* Drager, R.G.
Chua, N.-H. *see* Frohnmeyer, H.
Citovsky, V. *see* Ghoshroy, S.
Citovsky, V. *see* Kunik, T.
Clarke, A.E. *see* Sommer-Knudsen, J.
Cleary, S.P. *see* Mullineaux, P.M.
Connerton, I. *see* Domingo, C.
Cookson, A. *see* James, E.K.
Cornelissen, M. *see* Rethmeier, N.
Crawford, R.M.M. *see* James, E.K.
Creissen, G.P. *see* Mullineaux, P.M.
Cutler, S. *see* Dubois, P.
Czosnek, H. *see* Kunik, T.

D'Hauw, M. *see* Van den Broeck, D.
Davies, H.V. *see* Taylor, M.A.
Davies, K.M. *see* Bradley, J.M.
Davies, K.M., Bloor, S.J., Spiller, G.B. and Deroles, S.C. *Production of yellow colour in flowers: redirection of flavonoid biosynthesis in* Petunia 259
de Boer, A.H. *see* Baunsgaard, L.
de Jong, J.H. *see* Zhong, X.-B.
De Keukeleire, P. *see* Van den Broeck, D.
de Ruijter, N.C.A., Rook, M.B., Bisseling, T.and Emons, A.M.C. *Lipochito-oligosaccharides re-initiate root hair tip growth in* Vicia sativa *with high calcium and spectrin-like antigen at the tip* 341
Dellaporta, S.L. *see* May, B.P.
Deroles, S.C. *see* Bradley, J.M.
Deroles, S.C. *see* Davies, K.M.
Deveaux, Y. *see* Banzet, N.
Dhindsa, R.S. *see* Monroy, A.F.
Díaz, I. *see* Vicente-Carbajosa, J.
Dittrich, P. *see* Pasentsis, K.
Dixon, M.W. *see* Butler, J.H.
Domingo, C., Roberts, K., Stacey, N.J., Connerton, I., Ruíz-Teran, F. and McCann, M.C. *A pectate lyase from* Zinnia elegans *is auxin inducible* 17
Doong, R.L. and Mohnen, D. *Solubilization and characterization of a galacturonosyltransferase that synthesizes the pectic polysaccharide homogalacturonan* 363
Dörmann, P. and Benning, C. *The role of UDP-glucose epimerase in carbohydrate metabolism of* Arabidopsis 641
Drager, R.G., Girard-Bascou, J., Choquet, Y., Kindle, K.L. and Stern, D.B. *In vivo evidence for 5′→3′ exoribonuclease degradation of an unstable chloroplast mRNA* 85
Drake, R. *see* Kuntz, M.

© 1998 Blackwell Science Ltd

Dubois, F. *see* García-Gutiérrez, A.
Dubois, P., Cutler, S. and Belzile, F.J. *Regional insertional mutagenesis on chromosome III of* Arabidopsis thaliana *using the maize* Ac *element* 141

Edelman, M. *see* Holland, N.
Efremova, N. *see* Heidmann, I.
Eimert, K. *see* Wang, S.-M.
Emons, A.M.C. *see* de Ruijter, N.C.A.
Emory, K.K. *see* Watson, M.B.
Eymery, F. *see* Rey, P.

Fejes, E. *see* Kolar, C.
Felle, H.H., Kondorosi, E., Kondorosi, A. and Schultze, M. *The role of ion fluxes in Nod factor signalling in* Medicago sativa 455
Ferguson, I.B. *see* O'Brien, I.E.W.
Figueras, M. *see* Jensen, A.B.
Fischer, R.L. *see* Lashbrook, C.C.
Fischer, T.C. *see* Fransz, P.
Flores, C.-L. *see* Blázquez, M.A.
Fransz, P., Armstrong, S., Alonso-Blanco, C., Fischer, T.C., Torres-Ruiz, R.A. and Jones, G. *Cytogenetics for the model system* Arabidopsis thaliana 867
Fransz, P.F. *see* Zhong, X.-B.
Freedman, K. *see* Ghoshroy, S.
Freeling, M. *see* Scanlon, M.J.
Freire, M.A. *see* Rodriguez, C.M.
Frey, M., Stettner, C. and Gierl, A. *A general method for gene isolation in tagging approaches: amplification of insertion mutagenised sites (AIMS)* 717
Frohnmeyer, H., Bowler, C., Zhu, J.-K., Yamagata, H., Schäfer, E. and Chua, N.-H. *Different roles for calcium and calmodulin in phytochrome- and UV-regulated expression of chalcone synthase* 763
Frohnmeyer, H., Grabov, A. and Blatt, M.R. *A role for the vacuole in auxin-mediated control of cytosolic pH by* Vicia *mesophyll and guard cells* 109
Fromenteau, M. *see* Tommasini, R.
Fuglsang, A.T. *see* Baunsgaard, L.
Furuya, M. *see* Shinomura, T.

Gafni, Y. *see* Kunik, T.
Gagnon, J. *see* Banzet, N.
Gallardo, F. *see* García-Gutiérrez, A.
Gancedo, C *see* Blázquez, M.A.
García-Gutiérrez, A., Dubois, F., Cantón, F.R., Gallardo, F., Sangwan, R.S. and Cánovas, F.M. *Two different modes of early development and nitrogen assimilation in gymnosperm seedlings* 187
Gendreau, E., Höfte, H., Grandjean, O., Brown, S. and Traas, J. *Phytochrome controls the number of endoreduplication cycles in the* Arabidopsis thaliana *hypocotyl* 221
George, L.A. *see* Taylor, M.A.
Gerats, T. *see* Van den Broeck, D.
Ghoshroy, S., Freedman, K., Lartey, R. and Citovsky, V. *Inhibition of plant viral systemic infection by non-toxic concentrations of cadmium* 591
Gierl, A. *see* Frey, M.
Giorgetti, L., Pitto, L. and Cella, R. *Carrot DNA-methyltransferase is encoded by two classes of genes with differing patterns of expression* 317
Giovannoni, J.J. *see* Lashbrook, C.C.
Girard-Bascou, J. *see* Drager, R.G.
Goday, A. *see* Jensen, A.B.
Goldbach, R.W. *see* Storms, M.M.H.
Grabov, A. *see* Frohnmeyer, H.
Grandjean, O. *see* Gendreau, E.
Greiner, S. *see* Krausgrill, S.
Grima-Pattenati, J. *see* Piquemal, J.
Grunenberg, B. *see* Mathur, J.

Hall, B.D. *see* Lashbrook, C.C.
Hansen, U.-P. *see* Plieth, C.
Hanzawa, H. *see* Shinomura, T.
Harrison, C.J., Hedley, C.L. and Wang, T.L. *Evidence that the* rug3 *locus of pea (*Pisum sativum *L.) encodes plastidial phosphoglucomutase confirms that the imported substrate for starch synthesis in pea amyloplasts is glucose-6-phosphate* 753
Hata, S., Izui, K. and Kouchi, H. *Expression of a soybean nodule-enhanced phosphoenolpyruvate carboxylase gene that shows striking similarity to another gene for a house-keeping isoform* 267
Hawkins, D.J. and Kridl, J.C. *Characterization of acyl-ACP thioesterases of mangosteen* (Garcinia mangostana) *seed and high levels of stearate production in transgenic canola* 743
Hedley, C.L. *see* Harrison, C.J.
Heidmann, I., Efremova, N., Saedler, H. and Schwarz-Sommer, Z. *A protocol for transformation and regeneration of* Antirrhinum majus 723
Hoeijmakers, J.H.J. *see* Xu, H.
Hoffman, N.E. *see* Pilgrim, M.L.
Höfte, H. *see* Gendreau, E.
Holland, D. *see* Holland, N.
Holland, N., Belkind, A., Holland, D., Pick, U. and Edelman, M. *Stress-responsive accumulation of plastid chaperonin 60 during seedling development* 311
Hörtensteiner, S. *see* Tommasini, R.
Hu, S. *see* Butler, J.H.

Ishikawa, M. *see* Yoshii, M.
Izui, K. *see* Hata, S.

Jacobsen, E. *see* Wolters, A.-M.A.
Jahn, T. *see* Baunsgaard, L.
James, E.K., Minchin, F.R., Oxborough, K., Cookson, A., Baker, N.R., Witty, J.F., Crawford, R.M.M. and Sprent, J.I. *Photosynthetic oxygen evolution within* Sesbania rostrata *stem nodules* 29
Jarillo, J.A. *see* Capel, J.
Jensen, A.B., Goday, A., Figueras, M., Jessop, A.C. and Pagès, M. *Phosphorylation mediates the nuclear targeting of the maize Rab17 protein* 691
Jessop, A.C. *see* Jensen, A.B.
Jiménez, A. *see* Mullineaux, P.M.
Johnson, S. *see* Bent, E.
Jonas-Straube, E. *see* Mathur, J.
Jones, G. *see* Fransz, P.
Jordano, J. *see* Almoguera, C.
Jorgensen, R.A. *see* Que, Q.
Jorquera, M.J. *see* Capel, J.

Kanno, Y. *see* Kobayashi, A.
Karpinski, S. *see* Mullineaux, P.M.
Kästner, B., Tenhaken, R. and Kauss, H. *Chitinase in cucumber hypocotyls is induced by germinating fungal spores and by fungal elicitor in synergism with inducers of acquired resistance* 447
Kauss, H. *see* Kästner, B.

Kay, S. *see* Kolar, C.
Kazmaier, M. *see* Banzet, N.
Kindle, K.L. *see* Drager, R.G.
Kirik, V., Kölle, K., Wohlfarth, T., Miséra, S. and Bäumlein, H. *Ectopic expression of a novel* MYB *gene modifies the architecture of the* Arabidopsis *inflorescence* 729
Kloos, D. *see* van Houwelingen, A.
Knapp, S.J. *see* Leonard, J.M.
Knapp, S.J. *see* Slabaugh, M.B.
Kobayashi, A., Sakamoto, A., Kubo, K., Rybka, Z., Kanno, Y. and Takatsuji, H. *Seven zinc-finger transcription factors are expressed sequentially during the development of anthers in petunia* 571
Koes, R. *see* Quattrocchio, F.
Koes, R. *see* van Houwelingen, A.
Kolar, C., Fejes, E., Ádám, É., Schäfer, E., Kay, S. and Nagy, F. *Transcription of* Arabidopsis *and wheat* Cab *genes in single tobacco transgenic seedlings exhibits independent rhythms in a developmentally regulated fashion* 563
Kölle, K. *see* Kirik, V.
Koncz, C. *see* Mathur, J.
Koncz-Kálmán, Z. *see* Mathur, J.
Kondorosi, A. *see* Felle, H.H.
Kondorosi, E. *see* Felle, H.H.
Kormelink, R. *see* Storms, M.M.H.
Korthout, H.A.A.J. *see* Baunsgaard, L.
Köster, U. *see* Krausgrill, S.
Kouchi, H. *see* Hata, S.
Kramer, E. *see* Rethmeier, N.
Krausgrill, S., Greiner, S., Köster, U., Vogel, R. and Rausch, T. *In transformed tobacco cells the apoplasmic invertase inhibitor operates as a regulatory switch of cell wall invertase* 275
Kreft, M. *see* Thiel, G.
Kridl, J.C. *see* Hawkins, D.J.
Kruse, S. *see* von Schwartzenberg, K.
Kubo, K. *see* Kobayashi, A.
Kunik, T., Palanichelvam, K., Czosnek, H., Citovsky, V. and Gafni, Y. *Nuclear import of the capsid protein of tomato yellow leaf curl virus (TYLCV) in plant and insect cells* 393
Kuntz, M., Chen, H.C., Simkin, A.J., Römer, S., Shipton, C.A., Drake, R., Schuch, W. and Bramley, P.R. *Upregulation of two ripening-related genes from a non-climacteric plant (pepper) in a transgenic climacteric plant (tomato)* 351
Kunze, R. *see* Wang, L.
Kutchan, T.M. *see* Pauli, H.H.

Laloue, M. *see* von Schwartzenberg, K.
Lapierre, C. *see* Piquemal, J.
Lara, P. *see* Vicente-Carbajosa, J.
Lartey, R. *see* Ghoshroy, S.
Lashbrook, C.C., Giovannoni, J.J., Hall, B.D., Fischer, R.L. and Bennett, A.B. *Transgenic analysis of tomato endo-J-1,4-glucanase gene function. Role of* cel1 *in floral abscission* 303
León, J. *see* Rojo, E.
Leonard, J.M. *see* Slabaugh, M.B.
Leonard, J.M., Knapp, S.J. and Slabaugh, M.B. *A* Cuphea *J-ketoacyl-ACP synthase shifts the synthesis of fatty acids towards shorter chains in* Arabidopsis *seeds expressing* Cuphea *FatB thioesterases* 621
Lewis, D.H. *see* Bradley, J.M.
Lienhard, S. *see* Sturm, A.
Long, J.-H. *see* Wang, S.-M.
Lossow, A. *see* Mathur, J.
Luan, S. *see* Bei, Q.
Lue, W.-I. *see* Wang, S.-M.
Lush, W.M. *see* Sommer-Knudsen, J.

Madueño, F. *see* Capel, J.
Maes, T. *see* Van den Broeck, D.
Malmberg, R.L. *see* Watson, M.B.
Marano, M.R. and Baulcombe, D. *Pathogen-derived resistance targeted against the negative-strand RNA of tobacco mosaic virus: RNA strand-specific gene silencing?* 537
Martin, C. *see* Martínez-García, J.F.
Martínez-García, J.F., Moyano, E., Alcocer, M.J.C. and Martin, C. *Two bZIP proteins from* Antirrhinum *flowers preferentially bind a hybrid C-box/G-box motif and help to define a new sub-family of bZIP transcription factors* 489
Martínez-Zapater, J.M. *see* Blázquez, M.A.
Martínez-Zapater, J.M. *see* Capel, J.
Martinoia, E. *see* Tommasini, R.
Mathur, J., Szabados, L., Schaefer, S., Grunenberg, B., Lossow, A., Jonas-Straube, E., Schell, J., Koncz, C. and Koncz-Kálmán, Z. *Gene identification with sequenced T-DNA tags generated by transformation of* Arabidopsis *cell suspension* 707
Matile, P. *see* Tommasini, R.
May, B.P. and Dellaporta, S.L. *Transposon sequences drive tissue-specific expression of the maize regulatory gene* R-s 241
Mazars, C. *see* Thion, L.
McCann, M.C. *see* Domingo, C.
McMullen, M. *see* Stein, N.
McPherson, M.J. *see* Møller, S.G.
Miller, D.J. *see* ten Lohuis, M.R.
Minchin, F.R. *see* James, E.K.
Miséra, S. *see* Kirik, V.
Moffatt, B. *see* von Schwartzenberg, K.
Mohnen, D. *see* Doong, R.L.
Mol, J. *see* van Houwelingen, A.
Mol, J.N.M. *see* Quattrocchio, F.
Møller, S.G. and McPherson, M.J. *Developmental expression and biochemical analysis of the* Arabidopsis atao1 *gene encoding an* H_2O_2*-generating diamine oxidase* 781
Monroy, A.F., Sangwan, V. and Dhindsa, R.S. *Low temperature signal transduction during cold acclimation: protein phosphatase 2A as an early target for cold-inactivation* 653
Moreau, M. *see* Thion, L.
Morris, B.A.M. *see* O'Brien, I.E.W.
Moyano, E. *see* Martínez-García, J.F.
Muday, G.K. *see* Butler, J.H.
Müller, J. *see* Vogel, G.
Mullineaux, P.M., Karpinski, S., Jiménez, A., Cleary, S.P., Robinson, C. and Creissen, G.P. *Identification of cDNAs encoding plastid-targeted glutathione peroxidase* 375
Murphy, D.J. and Ross, J.H.E. *Biosynthesis, targeting and processing of oleosin-like proteins, which are major pollen coat components in* Brassica napus 1
Murray, B.G. *see* O'Brien, I.E.W.
Musket, T. *see* Stein, N.
Myton, K. *see* Piquemal, J.

Nacry, P. *see* Thion, L.
Nagy, F *see* Kolar, C.
Naito, S. *see* Yoshii, M.

O'Brien, I.E.W., Baguley, B.C., Murray, B.G., Morris, B.A.M. and Ferguson, I.B. *Early stages of the apoptotic pathway in plant cells are reversible* 803
O'Connell, A. *see* Piquemal, J.

Oñate, L. *see* Vicente-Carbajosa, J.
Ong, E.K. *see* Xu, H.
Oxborough, K. *see* James, E.K.

Pagès, M. *see* Jensen, A.B.
Palanichelvam, K. *see* Kunik, T.
Palmgren, M.G. *see* Baunsgaard, L.
Parry, D.H., *see* Pilgrim, M.L.
Pasentsis, K., Paulo, N., Algarra, P., Dittrich, P. and Thümmler, F. *Characterization and expression of the phytochrome gene family in the moss* Ceratodon purpureus 51
Pauli, H.H. and Kutchan, T.M. *Molecular cloning and functional heterologous expression of two alleles encoding (S)-N-methylcoclaurine 3!-hydroxylase (CYP80B1), a new methyl jasmonate-inducible cytochrome P-450-dependent mono-oxygenase of benzylisoquinoline alkaloid biosynthesis* 793
Paulo, N. *see* Pasentsis, K.
Peltier, G. *see* Rey, P.
Piatak, R.M. *see* Watson, M.B.
Pick, U. *see* Holland, N.
Pilgrim, M.L., van Wijk, K.-J., Parry, D.H., Sy, D.A.C. and Hoffman, N.E. *Expression of a dominant negative form of cpSRP54 inhibits chloroplast biogenesis in* Arabidopsis 177
Piquemal, J., Lapierre, C., Myton, K., O'Connell, A., Schuch, W., Grima-Pattenati, J. and Boudet, A.-M. *Down-regulation of Cinnamoyl-CoA Reductase induces significant changes of lignin profiles in transgenic tobacco plants* 71
Pitto, L. *see* Giorgetti, L.
Plieth, C., Sattelmacher, B., Hansen, U.-P. and Thiel, G. *The action potential in* Chara: Ca^{2+} *release from internal stores visualized by* Mn^{2+}*-induced quenching of fura-dextran* 167
Ponelies, N. *see* Stein, N.
Prieto-Dapena, P. *see* Almoguera, C.
Prins, M. *see* Storms, M.M.H.
Pruvot, G. *see* Rey, P.
Puchta, H. *Repair of genomic double-strand breaks in somatic plant cells by one-sided invasion of homologous sequences* 331

Quattrocchio, F., Wing, J.F., van der Woude, K., Mol, J.N.M. and Koes, R. *Analysis of bHLH and MYB domain proteins: species-specific regulatory differences are caused by divergent evolution of target anthocyanin genes* 475
Que, Q., Wang, H.-Y. and Jorgensen, R.A. *Distinct patterns of pigment suppression are produced by allelic sense and antisense chalcone synthase transgenes in petunia flowers* 401

Ramanna, M.S. *see* Zhong, X.-B.
Ranjeva, R. *see* Thion, L.
Rausch, T. *see* Krausgrill, S.
Reski, R. *see* von Schwartzenberg, K.
Rethmeier, N., Kramer, E., van Montagu, M. and Cornelissen, M. *Identification of* cat *sequences required for intron-dependent gene expression in maize cells* 831
Rey, P., Pruvot, G., Becuwe, N., Eymery, F., Rumeau, D. and Peltier, G. *A novel thioredoxin-like protein located in the chloroplast is induced by water deficit in* Solanum tuberosum *L. plants* 97
Richaud, C. *see* Banzet, N.
Robaglia, C. *see* Rodriguez, C.M.
Roberts, K. *see* Domingo, C.
Robinson, C. *see* Mullineaux, P.M.
Rodriguez, C.M., Freire, M.A., Camilleri, C. and Robaglia, C. *The* Arabidopsis thaliana *cDNAs coding for eIF4E and eIF(iso)4E are not functionally equivalent for yeast complementation and are differentially expressed during plant development* 465
Rojo, E., Titarenko, E., León, J., Berger, S., Vancanneyt, G. and Sánchez-Serrano, J.J. *Reversible protein phosphorylation regulates jasmonic acid-dependent and -independent wound signal transduction pathways in* Arabidopsis thaliana 153
Römer, S. *see* Kuntz, M.
Rook, M.B. *see* de Ruijter, N.C.A.
Ross, H.A. *see* Taylor, M.A.
Ross, J.H.E. *see* Murphy, D.J.
Ruíz-Teran, F. *see* Domingo, C.
Rumeau, D. *see* Rey, P.
Rybka, Z. *see* Kobayashi, A.

Saedler, H. *see* Heidmann, I.
Sakamoto, A. *see* Kobayashi, A.
Salinas, J. *see* Blázquez, M.A.
Salinas, J. *see* Capel, J.
Sánchez-Serrano, J.J. *see* Rojo, E.
Sangwan, R.S. *see* García-Gutiérrez, A.
Sangwan, V. *see* Monroy, A.F.
Santos, E. *see* Blázquez, M.A.
Sattelmacher, B. *see* Plieth, C.
Sauer, M. *see* Van den Broeck, D.
Scanlon, M.J. and Freeling, M. *The narrow sheath leaf domain deletion: a genetic tool used to reveal developmental homologies among modified maize organs* 547
Schaefer, S. *see* Mathur, J.
Schäfer, E. *see* Frohnmeyer, H.
Schäfer, E. *see* Kolar, C.
Schäfer, E. *see* Shinomura, T.
Schell, J. *see* Mathur, J.
Schuch, W. *see* Kuntz, M.
Schuch, W. *see* Piquemal, J.
Schulman, A.H. *see* Suoniemi, A.
Schultze, M. *see* Felle, H.H.
Schwarz-Sommer, Z. *see* Heidmann, I.
Shinomura, T., Hanzawa, H., Schäfer, E. and Furuya, M. *Mode of phytochrome B action in the photoregulation of seed germination in* Arabidopsis thaliana 583
Shipton, C.A. *see* Kuntz, M.
Sijbers, A.M. *see* Xu, H.
Simkin, A.J. *see* Kuntz, M.
Singh, M.B. *see* Xu, H.
Slabaugh, M.B. *see* Leonard, J.M.
Slabaugh, M.B., Leonard, J.M. and Knapp, S.J. *Condensing enzymes from* Cuphea wrightii *associated with medium chain fatty acid biosynthesis* 611
Somerville, C. *see* Broun, P.
Sommer-Knudsen, J., Lush, W.M., Bacic, A. and Clarke, A.E. *Re-evaluation of the role of a transmitting tract-specific glycoprotein on pollen tube growth* 529
Souer, E. *see* van Houwelingen, A.
Spelt, K. *see* van Houwelingen, A.
Spiller, G.B. *see* Davies, K.M.
Sprent, J.I. *see* James, E.K.
Stacey, N.J. *see* Domingo, C.
Stein, N., Ponelies, N., Musket, T., McMullen, M. and Weber, G. *Chromosome micro-dissection and region-specific libraries from pachytene chromosomes of maize (*Zea mays *L.)* 281
Stern, D.B. *see* Drager, R.G.
Stettner, C. *see* Frey, M.
Storms, M.M.H., van der Schoot, C., Prins, M., Kormelink, R., van Lent, J.W.M. and Goldbach, R.W. *A comparison of two*

methods of microinjection for assessing altered plasmodesmal gating in tissues expressing viral movement proteins 131
Sturm, A. and Lienhard, S. *Two isoforms of plant RAD23 complement a UV-sensitive* rad23 *mutant in yeast* 815
Suoniemi, A., Tanskanen, J. and Schulman, A.H. *Gypsy-like retrotransposons are widespread in the plant kingdom* 699
Swoboda, I. *see* Xu, H.
Sy, D.A.C. *see* Pilgrim, M.L.
Szabados, L. *see* Mathur, J.

Takatsuji, H. *see* Kobayashi, A.
Tanskanen, J. *see* Suoniemi, A.
Taylor, M.A., George, L.A., Ross, H.A. and Davies, H.V. *cDNA cloning and characterisation of an l-glucosidase gene from potato (*Solanum tuberosum *L.)* 419
ten Lohuis, M.R. and Miller, D.J. *Genetic transformation of dinoflagellates (*Amphidinium *and* Symbiodinium*): expression of GUS in microalgae using heterologous promoter constructs* 427
Tenhaken, R. *see* Kästner, B.
Thiel, G. *see* Plieth, C.
Thiel, G., Kreft, M. and Zorec, R. *Unitary exocytotic and endocytotic events in* Zea mays *L. coleoptile protoplasts* 117
Thion, L., Mazars, C., Nacry, P., Bouchez, D., Moreau, M., Ranjeva, R. and Thuleau, P. *Plasma membrane depolarization-activated calcium channels, stimulated by microtubule-depolymerizing drugs in wild-type* Arabidopsis thaliana *protoplasts, display constitutively large activities and a longer half-life in* ton *2 mutant cells affected in the organization of cortical microtubules* 603
Thuleau, P. *see* Thion, L.
Thümmler, F. *see* Pasentsis, K.
Titarenko, E. *see* Rojo, E.
Tommasini, R., Vogt, E., Fromenteau, M., Hörtensteiner, S., Matile, P., Amrhein, N. and Martinoia, E. *An ABC-transporter of* Arabidopsis thaliana *has both glutathione-conjugate and chlorophyll catabolite transport activity* 773
Torres-Ruiz, R.A. *see* Fransz, P.
Traas, J. *see* Gendreau, E.
Triantaphylidès, C. *see* Banzet, N.
Trindale, L.M. *see* Wolters, A.-M.A.

Van den Broeck, D., Maes, T., Sauer, M., Zethof, J., De Keukeleire, P., D'Hauw, M., Van Montagu, M. and Gerats, T. Transposon Display *identifies transposable elements in high copy number lines* 121
van der Schoot, C. *see* Storms, M.M.H.
van der Woude, K. *see* Quattrocchio, F.
van Eden, J.W. *see* Zhong, X.-B.
van Houwelingen, A., Souer, E., Spelt, K., Kloos, D., Mol, J. and Koes, R. *Analysis of flower pigmentation mutants generated by random transposon mutagenesis in* Petunia hybrida 39
van Kammen, A. *see* Zhong, X.-B.
van Lent, J.W.M. *see* Storms, M.M.H.
van Montagu, M. *see* Rethmeier, N.
Van Montagu, M. *see* Van den Broeck, D.
van Wijk, K.-J. *see* Pilgrim, M.L.
Vancanneyt, G. *see* Rojo, E.
Vicente-Carbajosa, J., Oñate, L., Lara, P., Diaz, I. and Carbonero, P. *Barley BLZ1: a bZIP transcriptional activator that interacts with endosperm-specific gene promoters* 629
Visser, R.G.F. *see* Wolters, A.-M.A.
Vogel, G., Aeschbacher, R.A., Müller, J., Boller, T. and Wiemken, A. *Trehalose-6-phosphate phosphatases from* Arabidopsis thaliana*: identification by functional complementation of the yeast* tps2 *mutant* 673
Vogel, R. *see* Krausgrill, S.
Vogt, E. *see* Tommasini, R.
von Schwartzenberg, K., Kruse, S., Reski, R., Moffatt, B. and Laloue, M. *Cloning and characterization of an adenosine kinase from* Physcomitrella *involved in cytokinin metabolism* 249

Wang, C.N. *see* Wang, S.-M.
Wang, H.-Y. *see* Que, Q.
Wang, L. and Kunze, R. *Transposase binding site methylation in the epigenetically inactivated* Ac *derivative* Ds-cy 577
Wang, S.-M., Lue, W.-l., Yu, T.S., Long, J.-H., Wang, C.N., Eimert, K. and Chen J. *Characterization of* ADG1*, an* Arabidopsis *locus encoding for ADPG pyrophosphorylase small subunit, demonstrates that the presence of the small subunit is required for large subunit stability* 63
Wang, T.L. *see* Harrison, C.J.
Watson, M.B., Emory, K.K., Piatak, R.M. and Malmberg, R.L. *Arginine decarboxylase (polyamine synthesis) mutants of* Arabidopsis thaliana *exhibit altered root growth* 231
Weber, G. *see* Stein, N.
Wiemken, A. *see* Vogel, G.
Wing, J.F. *see* Quattrocchio, F.
Witty, J.F. *see* James, E.K.
Wohlfarth, T. *see* Kirik, V.
Wolters, A.-M.A., Trindale, L.M., Jacobsen, E. and Visser, R.G.F. *Fluorescence* in situ *hybridization on extended DNA fibres as a tool to analyse complex T-DNA loci in potato* 837

Xu, H., Swoboda, I., Bhalla, P.L., Sijbers, A.M., Zhao, C., Ong, E.K., Hoeijmakers, J.H.J. and Singh, M.B. *Plant homologue of human excision repair gene ERCC1 points to conservation of DNA repair mechanisms* 823

Yamagata, H. *see* Frohnmeyer, H.
Yoshii, M., Yoshioka, N., Ishikawa, M. and Naito, S. *Isolation of an* Arabidopsis thaliana *mutant in which accumulation of cucumber mosaic virus coat protein is delayed* 211
Yoshioka, N. *see* Yoshii, M.
Yu, T.S. *see* Wang, S.-M.

Zabel, P. *see* Zhong, X.-B.
Zethof, J. *see* Van den Broeck, D.
Zhao, C. *see* Xu, H.
Zhong, X.-B., Fransz, P.F., -van Eden, J.W., Ramanna, M.S., van Kammen, A., Zabel, P. and de Jong, J.H. *FISH studies reveal the molecular and chromosomal organization of individual telomere domains in tomato* 507
Zhu, J.-K. *see* Frohnmeyer, H.
Zorec, R. *see* Thiel, G.

The Plant Journal (1998) **13**(6), 887–890

Subject index

α-glucosidase 419
ABC-transporter 773
abscisic acid 691
abscission 303
Ac 141
acquired resistance 447
actin cytoskeleton 291
action potential 167
Activator 141
adaptive response 519
adenosine kinase 249
adg1 63
ADPG pyrophosphorylase 63
alfalfa 455
amine oxidase 781
ammonia assimilation 187
Amphidinium 427
anther 571
anthocyanin biosynthesis 39
Antirrhinum 723
antisense 303, 837
antisense RNA 71
Arabidopsis 63, 141, 177, 231, 411, 685, 691, 773, 781, 849
Arabidopsis mutant 603
Arabidopsis thaliana 211, 221, 465, 729, 867
arginine decarboxylase 231
auxin 17, 291
auxin transport 291

BAC 849
bacterial artificial chromosome 849
baculovirus 793
barley 629
basic-helix-loop-helix 475
BCECF fluorescence microphotometry 109
benzophenanthridine 793
benzylisoquinoline 793
β-glucuronidase 241, 691
β-ketoacyl-ACP synthase 611, 621
biosynthesis 363
Bx1 gene 717
bZIP 489, 629

cab 411, 563
CAB genes 489
cadmium 591
calcium 341, 455, 763
calcium signalling 603
calmodulin 763
CaMV 35S promoter 401, 723
Capsicum annuum 351
capsid protein 393
carbohydrates 673
carotenoid gene 351
cell elongation 17
cell shape 39
cell wall 17, 363, 641
cell wall invertase 275
cell-to-cell movement 211
cellulase 303
cerulenin 611
chalcone reductase 259
chalcone synthase 763
Chara corallina 167
chitinase 447
Chlamydomonas reinhardtii 85
chloramphenicol acetyl transferase gene 831
chlorophyll catabolites 773
chloroplast 85, 97, 311, 375
chromatin condensation 803
cinnamoyl-CoA reductase 71
circadian rhythm 563
cold-acclimation 411
cold sensing 653
complementation 419
contig 849
cpn60 311
cucumber hypocotyl 447
cucumber mosaic virus 211
Cuphea 611, 621
cytochrome P-450 793
cytokinin 249
cytosolic pH homeostasis 109

Daucus carota 815
DCMU 51
desaturation 201
detoxification 773
development 563, 571
diakinesis 507
differential processing 51
dinoflagellate 427
DNA 331
DNA methylation 317, 577
DNA repair 823
dTph1 39
dTph2 39
dTph3 39
dTph1 transposable element 121

endocytosis 117
endoglucanase 303
endoreduplication 221
endosperm 629
enhancer 241
enzyme regulation 275
EPF 571
epitope demasking 653
Eschscholzia californica 793
evolution 241
exocytosis 117, 341
extended DNA fibres 507

fatty acid biosynthesis 743
fatty acids 201, 621
fibre-FISH 837
FISH 281, 507, 867
flavonoid synthesis 475
flavonoids 259, 381
flow cytometry 803
flower colour 259
flowers 489

© 1998 Blackwell Science Ltd

fluorescence *in situ* hybridisation 507
fluorescence ratio imaging 167
founder cells 547
fruit ripening 303, 351
functional expression 857
fungal elicitor 447
fura-2-dextran 167
fus3 mutant 729

galactolipids 641
galactose 641
GaRSGP 529
geminiviruses 393
gene expression 465, 831
gene family 317
gene identification 707
gene isolation 717
gene regulation 381, 729
gene silencing 537
gene tagging 717
generative cell 823
genome evolution 699
genome sequencing 707
genomic sequencing 577
Ginkgo 187
glutamate synthase 187
glutamine synthetase 187
glutathione conjugates 773
glutathione peroxidase 375
glutathione 375
Glycine max 267
glycoprotein 529
granule-bound starch synthase 837
GUS expression 427, 723
gypsy 699

H^+ secretion 109
H^+-ATPase 109
heat shock elements 437
heat stress response 437
heterologous expression 419, 793
heterologous expression of plant genes 673
histone H4 489
homogalacturonan 363
homology 547
homology-based gene silencing 401
host factors 591
HSPs 519
hybrid C-box/G-box 489
hydrogen peroxide 519, 781
hydroxylation 201
hypocotyl 221

iae1 141
illegitimate recombination 331
in situ hybridization 267, 317
insect cells 393
insensitive mutants 153
integrase 699
internal stores 167
intracellular pH 39
intron-dependent gene expression 831
intron-mediated expression enhancement 831
invertase inhibitor 275
ion channel 857
ion channel regulation 603
ion fluxes 455
ion-selective microelectrodes 455
iontophoresis 131
isoform 267

jasmonic acid 153

karyotype 867
KAT1 857

leaf margin 547
Lhcb gene expression 411
light regulation 187
lignins 71
Lilium longiflorum 823
linker-adaptor-PCR 281
lipid 201
lipid bodies 1
lipochito-oligosaccharide 341
long-range inverse PCR 707
luciferase imaging 563
Lycopersicum esculentum 351

maize 381, 547, 831
male gamete 823
maltase 419
manganese 167
mapping 867
mcd1 85
medium chains 621
medium-chain fatty acids 611
membrane capacitance 117
membrane potential 455
membrane turnover 117
meristem 729
microdissection 281
microinjection 131
microtubule organization 603
missense mutation 63
mitochondria 519
molecular evolution 267
movement protein 131
Mu element 717
mutagenesis 141
mutant 63, 211, 231, 753
MYB domain 475
MYB genes 729

naphthylphthalamic acid 291
narrow sheath 547
nDNA fragmentation 803
Nicotiana 311, 529
nitrogen fixation 29, 267
NLS 393
Nod factor signaling 455
Northern blot analysis 51
NS_M 131
nuclear import 393
nuclear targeting 691
nucleotide excision repair 815, 823

oil seeds 621
okadaic acid 153
oleosin-like proteins 1

onion cells 691
overexpression 583
oxidative stress 375, 519
oxygen 29

P. hybrida 475
pachytene 281, 507
patch-clamp 603, 857
pathogen-derived resistance 537
pea 753
pectate lyase 17
pectin 363
petD 85
petunia 121, 259, 375, 381
P_{fr}/P_{tot} ratio 583
phosphoenolpyruvate carboxylase 267
phosphoglucomutase 753
phospholipid hydroperoxide 375
phosphorylation 691
photosynthesis 51
photosystem II 29
Physocomitrella patens 249
phytochrome 221, 763
phytomer 547
Pinus 187
plant cell growth 109
plant development 729
plant signal transduction 603
plant viruses 591
plants 803
plasma membrane H^+-ATPase 661
plasmid rescue 707
plasmodesma 131
plasmodesmata 591
plastid 351
point mutations 437
polarity 291
pollen 571, 823
pollen coat 1
pollen-tube 529
polyamines 231
polygalacturonate 363
post-transcriptional gene silencing 401
post-transcriptional regulation 51
potato (*Solanum tuberosum*) 419
primer extension analysis 51
programmed cell death 781, 803
promoters 201, 629
proplastid 177
14–3–3 protein 661
protein cleavage 17
protein expression 275
protein phosphatase 153
protein phosphatase 2A 653
protein phosphorylation 153
protein-targeting 177
P-type ATPase 661
purine metabolism 249

RAD23 815
5S rDNA 867
receptors 661
recombination mechanisms 331
red/far-red reversible response 583
regulation of gene expression 351
regulatory domain 661
repair pathways 331
repetitive DNA 241
retransposon 699
reverse transcriptase 699
Rhizobium Nodulation factor 341
romani 699
root cap 781
root hair tip growth 341
roots 231
Rubisco 311
rug3 753

salicylic acid 447
saturated fat 743
seed expression 437
seed oil 743
sense cosuppression 401
Sesbania rostrata 29
shoot apex 317
signal recognition particle 177
signal transduction 661, 763
site-specific recombination 401
small subunit 63
sodium bisulfite 577
Solanum tuberosum 97, 837
solubilization 363
somatic embryogenesis 317
spectrin 341
spectrograph 583
starch 641, 753
starch-degradation 419
staurosporine 153
stearate 743
stem nodules 29
stress protein 97
stress tolerance 685
stroma 97
style 529
subtelomeric repeat 507
sugar nucleotide 641
sugar phosphatases 673
suspension cells 317
Symbiodinium 427
synthesis-dependent strand annealing model 331
systemic and local movement 591

tapetum 1
target RNA 537
T-DNA insertion 837
T-DNA tagging 707
telomere 507
telomeric repeat 507
tentoxin 311
thioesterase 621, 743
thioredoxin-like protein 97
tissue specificity 381
tobacco mosaic virus 131, 211, 537
tobacco 71, 275
tomato 303, 507, 519
tonoplast 109
tospovirus 131
tracheary element differentiation 17
transcription 563
transcription factor 475, 571, 629

transformation 427, 837
transgene 831
transgenic plant 131, 583, 641, 723, 743
transgenic tobacco 857
translation initiation 465
transposable element *Activator* 577
transposable elements 241, 717
transposition regulation 577
transposon 141
Transposon Display 121
transposon tagging 121
transposon trapping 39
trehalose 685
trehalose metabolism 673
tryphine 1
TTS 529
turnip crinkle virus 211
TYLCV 393

UV 763
UV-damaged DNA 815

vascular tissue 781
viral replicase 537

water deficit 97
wounding 153

xylem 17, 71

yeast 685
yeast complementation 465, 815

Zea mays 241, 281, 475, 577
Zea mays coleoptile protolasts 117
ZePel 17
zinc-finger protein 571
Zinnia elegans 17
zygotic embryogenesis 437